*Journal of Immuological Methods*, 109 (1988) 293–294
Elsevier



# Contents to volume 109 (1988)

**Number 1 – 22 April 1988**

*Research reports*

In vivo evaluation of radiolabelled antibodies with antigen-coated polymer particles in diffusion chambers (JIM 04709)
*J.G. Fjeld, H.B. Benestad, T. Stigbrand and K. Nustad (Norway, Sweden)* 1

Effective production of a human monoclonal antibody against tetanus toxoid by selection of high productivity clones of a heterohybridoma (JIM 04711)
*K. Kitano, K. Iwamoto, Y. Shintani and S.-i. Akiyama (Japan)* 9

A safe and efficient method for elimination of cell culture mycoplasmas using ciprofloxacin (JIM 04712)
*K. Schmitt, W. Däubener, D. Bitter-Suermann and U. Hadding (F.R.G.)* 17

Dissociation studies of DNA/anti-DNA complexes in relation to anti-DNA avidity (JIM 04713)
*R.J.T. Smeenk, A. Van Rooijen and T.J.G. Swaak (The Netherlands)* 27

Polymer modification of antibody to eliminate immune complex and Fc binding (JIM 04714)
*W.L. Anderson and T.B. Tomasi (U.S.A.)* 37

Temperature affects binding of murine monoclonal IgG antibodies to protein A (JIM 04715)
*Y.Y. Tu, F.J. Primus and D.M. Goldenberg (U.S.A.)* 43

Monoclonal antibodies to proliferating cell nuclear antigen (PCNA)/cyclin as probes for proliferating cells by immunofluorescence microscopy and flow cytometry (JIM 04716)
*P. Kurki, K. Ogata and E.M. Tan (U.S.A.)* 49

Antibodies of predetermined specificity to apolipoprotein C-II elicited with a synthetic peptide. Characterization and use for immunoassays (JIM 04717)
*C. Delpierre, C. Fievet, V. Equagoo, H. Mezdour, C. Cachera, J.C. Gesquière, A. Tartar and J.C. Fruchart (France)* 61

Latex immunoassay of serum α-fetoprotein using polyethylene glycol pretreatment (JIM 04718)
*B. Passelecq, M. De Bo, C. Huber, J.P. Gennart, A. Bernard and R. Lauwerys (Belgium)* 69

A rapid and simple ELISA for the determination of duplicate monoclonal antibodies during epitope analysis of antigens and its application to the study of $C\bar{1}$-INH (JIM 04719)
*J. Alsenz and M. Loos (F.R.G.)* 75

Two-site monoclonal antibody quantitative ELISA for toxic shock syndrome toxin-1 (JIM 04720)
*T.A. Kuffner, R.M. McKinney, D.E. Wells, M.W. Reeves, S.B. Hunter and B.D. Plikaytis (U.S.A.)* 85

An enzyme immunoassay for cuprozinc superoxide dismutase using monoclonal antibodies. Application for pharmacokinetic study (JIM 04721)
*T. Adachi, Y. Usami, T. Kishi, K. Hirano and K. Hayashi (Japan)* 93

A rapid and sensitive screening method for the detection of anti-2-acetylaminofluorene immunoglobulins (JIM 04722)
*L.K. Silbart, G. Nordblom, D.F. Keren, D.S. Wise, Jr., P.M. Lincoln and L.B. Townsend (U.S.A.)* 103

Strategy for the characterization of autoantigens in autoimmune diseasesInvestigation of the target antigens of anti-mitochondrial antibodies by radioimmunoassay, immunoblotting, monoclonal antibodies and affinity chromatography (JIM 04723)
*A. Kyriatsoulis, M. Manns, U. Roth, G. Gerken, A. Lohse, S. Wollensak, K. Reske and K.-H. Meyer zum Büschenfelde (F.R.G.)* 113

A two-stage culture system for the induction of antibody-forming cell clones in cultures of normal human blood lymphocytes (JIM 04724)
*A.L. Luzzati, E. Giacomini and P. Frugoni (Italy)* 123

Real-time scanning and image analysis. A fast method for the determination of neutrophil orientation under agarose (JIM 04725)
*J.O. Pedersen, L. Hassing, N. Grunnet and C. Jersild (Denmark)* 131

Comparison of poly- and monoclonal antibodies as labels in a two-site immunochemiluminometric assay for intact parathyroid hormone (JIM 04726)
*R.C. Brown, J.P. Aston, A.S. John and J.S. Woodhead (U.K., Australia)* 139

Increased efficiency of transfection of murine hybridoma cells with DNA by electropermeabilization (JIM 04727)
*H. Stopper, U. Zimmermann and G.A. Neil (U.S.A.)* 145

*Book reviews* 153

*Announcements* 155

0022-1759/87/$03.50 © 1987 Elsevier Science Publishers B.V. (Biomedical Division)

*Notes to authors* 156

**Number 2 – 9 May 1988**

*Research reports*

Heat production as a quantitative parameter of phagocytosis (JIM 04730)
*H. Hayatsu, T. Miyamae and M. Yamamura (Japan)* 157

Cytotoxicity of interleukin-2-activated lymphocytes for autologous normal blood mononuclear cells (JIM 04731)
*K. Oshimi, Y. Oshimi, H. Saito and H. Mizoguchi (Japan)* 161

The generation of human lymphokine-activated killer cells in various serum-free media (JIM 04732)
*M.R. Jadus, G.B. Thurman, A. Mrowca-Bastin and J.R. Yannelli (U.S.A.)* 169

A new assay for the measurement of the attachment of neutrophils and other cell types to endothelial cells (JIM 04733)
*J.R. Gamble and M.A. Vadas (Australia)* 175

High-dose irradiated splenic stimulator cells show no endogenous interleukin-2 production but stimulate clonally developing helper T cells to produce interleukin-2 (JIM 04734)
*K. Heeg, C. Steeg and H. Wagner (F.R.G.)* 185

Selective depletion of immunoglobulin isotypes after decomplementation of mouse sera by heat treatment (JIM 04735)
*T. Schetters, J. Van Run-Van Breda, A. Van Zon and W. Eling (The Netherlands)* 193

Simple method for scanning immunoblots (JIM 04736)
*J.W. Palfreyman, A. Vigrow, D. Button and H. Glancy (U.K.)* 199

Simple enzyme immunoassay methods for recombinant human tumor necrosis factor $\alpha$ and its antibodies using a bacterial cell wall carrier (JIM 04737)
*N. Sunahara, S. Kurooka, K. Kaibe, Y. Ohkaru, S. Nishimura, K. Nakano, Y. Sohmura and M. Iida (Japan)* 203

Non-specific propagation of human antigen-dependent T lymphocyte clones (JIM 04738)
*B. Fleischer (F.R.G.)* 215

Use of cellulose ethers as peptide antigen carriers in the ELISA (JIM 04739)
*H. Nygren and C. Karlsson (Sweden)* 221

A method for the determination of antibody affinity using a direct ELISA (JIM 04740)
*A. Schots, B.J. Van der Leede, E. De Jongh and E. Egberts (The Netherlands)* 225

Detection of antibody, idiotype, and anti-idiotype forming cells by in situ immunocytochemical staining (JIM 04741)
*A.R. Brown and E. Claassen (U.S.A., The Netherlands)* 235

Cytoplasmic localization of hepatitis B core antigen in hepatitis B virus infected livers (JIM 04742)
*D.E. Sansonno, G. Fiore, G. Bufano and O.G. Manghisi (Italy)* 245

Enhancement of anti-phospholipid antibody activity by Tween 20 (JIM 04743)
*H.M. Cheng and S.F. Yap (Malaysia)* 253

Immunoblot analysis of the eighth component of human complement. Demonstration of subunits and detection of C8$\alpha$-$\gamma$ double and triple bands (JIM 04744)
*W. Nürnberger, R. Seger, P. Kobler, I. Mons, F. Tedesco and V. Wahn (F.R.G., Switzerland, Yugoslavia, Italy)* 257

An analysis of the fluid phase C1q binding assay. The effect of endogenous C1q on the precipitation and detection of an immune complex model (JIM 04745)
*R.J. Jacobs and R. Mocharla (U.S.A.)* 265

Monoclonal antibodies to phosphotyrosine (JIM 04782)
*J.R. Glenney, Jr., L. Zokas and M.P. Kamps (U.S.A.)* 277

*Short communication*

Simple device for serial blood sampling in mice (JIM 04816)
*I. Rosztóczy (Hungary)* 287

*Letter to the editors*

A simple method for labelling the carbohydrate moieties of antibodies with fluorochromes (JIM 04815)
*W.A.L. Duijndam, J. Wiegant, P. Van Duijn and J.J. Haaijman (The Netherlands)* 289

*Announcements* 291

*Contents to volume 109* 293

*Author index to volume 109* 295

*Key word index to volume 109* 299

*Notes to authors* 304